4	
- 0	

L Number	Hits	Search Text	DB	Time stamp
-	1220	709/219.ccls. and @ad<20000907	USPAT	2003/11/10 13:26
-	0	(communicat\$4 NEAR4 "DCOM") NEAR5 (connect\$4	USPAT	2003/11/10 13:28
	_	NEAR4 adapter)		
-	0	("DCOM") NEAR5 (connect\$4 NEAR4 adapter)	USPAT	2003/11/10 13:28
<u>-</u>	9596		USPAT	2003/11/10 15:18
-	9596	(access\$4 or communicat\$4 or establish\$4) NEAR5 client and @ad<20000907	USPAT	2003/11/10 15:33
_	200	(resource NEAR5 access) and ((identification	USPAT	2002/11/10 15:20
-	200	or identifier or username) NEAR5 password)	USPAI	2003/11/10 15:30
-	120		USPAT	2003/11/10 15:25
		NEAR5 client and @ad<20000907) and	001711	2003/11/10 13.23
		((resource NEAR5 access) and		
		((identification or identifier or username)		
		NEAR5 password))		
-	43	,,	USPAT	2003/11/10 15:25
		((identification or identifier or username)		
		NEAR5 password)) and adapter		
-	43	(((resource NEAR5 access) and	USPAT	2003/11/10 15:26
		((identification or identifier or username) NEAR5 password)) and adapter) and ((resource		
		NEARS password); and adapter; and ((resource NEARS access) and ((identification or		
		identifier or username) NEAR5 password))		
_	2	I .	USPAT	2003/11/10 15:31
	<u>-</u>	((identification or identifier or username)		
		NEAR5 password)		
-	52		USPAT	2003/11/10 15:31
		@ad<20000907		
-	236		USPAT	2003/11/10 15:36
		NEAR5 (remote adj client) and @ad<20000907		
-	1	(((external NEAR3 resource) NEAR5 access)	USPAT	2003/11/10 15:35
		and @ad<20000907) and ((access\$4 or		[
		communicat\$4 or establish\$4) NEAR5 (remote adj client) and @ad<20000907)		
]_	3	1	USPAT	2003/11/10 15:36
		NEAR5 (remote adj client) and @ad<20000907)	551	2003, 11, 10 13.30
		and (external NEAR3 resource)		
-	8	(access\$4 or communicat\$4 or establish\$4)	USPAT	2003/11/10 15:38
		NEAR5 (remote adj client) NEAR4 device and		
		@ad<20000907]	
-	10		USPAT	2003/11/10 16:02
		NEARS (peripheral or device or resource or		
		scanner or drive)) NEAR5 (remote adj client) and @ad<20000907		
_	23		USPAT	2003/11/10 15:55
	23	"4868375" "5288976" "5331547"	35171	2003/11/10 13.35
		"5483052" "5490217" "5600833"		
		"5635694", "5640193" "5664231"		
		"5717737" "5804803" "5870088"		
		"5881230" "5905248" "5978773"		
		"5987611" "6012102" "6041374"		
		"6094689" "6144848").PN.		
-	0	6507864.URPN.	USPAT	2003/11/10 16:02
-	6	(709/219.ccls. and @ad<20000907) and	USPAT	2003/11/10 16:03
		((remote NEAR3 access) NEAR5 (peripheral or "SCSI" or external) and @ad<20000907)		
_	128		USPAT	2003/11/13 08:07
	120	"SCSI" or external) and @ad<20000907	JOERI	2003/11/13 00:07
-	16	("5136695" "5410706" "5590315"	USPAT	2003/11/12 08:20
		"5604509" "5712978" "5721842"		, ,
		"5732212" "5764974" "5794239"		
		"5825336" "6128731" "6230194"	1	
		"6381700" "6393492" "6415289"	}	
		"6442549").PN.	1	
-	18	("5237693" "5317693" "5325527"	USPAT	2003/11/12 08:23
		"5548724" "5598538" "5659794" "5627220" "5720200" "50222200"	1	
		"5687320" "5790809" "5832298" 		
		"5862404" "5870562" "5901286" "5950203" "5991829" "5996024"		
		"5950203" "5991829" "5996024" "6003065" "6003133" "6101555").PN.		
-	5	6327613.URPN.	USPAT	2003/11/12 09:15
-	11	6101555.URPN.	USPAT	2003/11/12 09:24
		1/10/03 0.33.17 AM Page 1	, -	

Search History 11/19/03 9:33:17 AM Page 1

C:\APPS\EAST\Workspaces\09-656533.wsp



-	1	(shar\$4 NEAR5 (peripheral\$1 or device\$1 or "SCSI")) same ("DCOM") and @ad<20000907	USPAT	2003/11/12 09:57
-	36		USPAT	2003/11/12 10:48
-	2582		USPAT	2003/11/12 11:20
-	8		USPAT	2003/11/12 10:55
		and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed		
		component object model")		
-	6	,	USPAT	2003/11/12 11:12
-	0	(password NEAR5 DCOM) and @ad<20000907	USPAT	2003/11/12 11:13
-	0	((- : : : : : : : : : : : : : : : : :	USPAT	2003/11/12 11:16
		adj device\$1) or "SCSI")) and @ad<20000907)		
	8	and (adapter NEAR20 "gui") ((shar\$4 NEAR5 (peripheral\$1 or (external	USPAT	2003/11/12 11:16
	°	adj device\$1) or "SCSI")) and @ad<20000907)	USPAT	2003/11/12 11:16
		and (adapter NEAR20 (user adj interface))		
_	2485		USPAT	2003/11/13 11:34
		@ad<20000907		
_	166		USPAT	2003/11/12 11:21
		@ad<20000907) and (adapter NEAR4 interface)		
-	2	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and	USPAT	2003/11/12 11:22
		@ad<20000907) and (adapter and (graphical		
_	16	<pre>adj interface)) ((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and</pre>	USPAT	2003/11/12 11:22
-	10	@ad<20000907) and 709/219.ccls.	USPAI	2003/11/12 11:22
-	4		USPAT	2003/11/12 15:26
	_	@ad<20000907) and (username NEAR3 password)		2000, 22, 22 20120
-	0	(((shar\$4 NEAR5 (peripheral\$1 or "SCSI"))	USPAT	2003/11/12 15:35
		and @ad<20000907) and password) and		İ
		((distributed NEAR2 ("COM" or "component		
		object model")) or "DCOM" or "distributed		1
_	64	component object model") ((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and	USPAT	2003/11/12 15:28
	04	@ad<20000907) and password	USPAI	2003/11/12 15:28
_	437	· •	USPAT	2003/11/12 15:35
		object model")) or "DCOM" or "distributed		' '
		component object model") and @ad<20000907	ĺ	
-	135	1 111	USPAT	2003/11/12 15:36
		object model")) or "DCOM" or "distributed		
		component object model") and @ad<20000907) and password		
_	71	· -	USPAT	2003/11/12 15:41
		object model")) or "DCOM" or "distributed		
		component object model") and @ad<20000907)		
		and password) and adapter\$1		
-	38	, , , , .	USPAT	2003/11/12 15:37
		object model")) or "DCOM" or "distributed		
		component object model") and @ad<20000907) and password) and (connect\$3 or		
		communicat\$4) NEAR4 adapter\$1		
_	33		USPAT	2003/11/12 15:47
		object model")) or "DCOM" or "distributed		
		component object model") and @ad<20000907)		
	ļ	and password) and adapter(1) not		
		(((((distributed NEAR2 ("COM" or "component		
	İ	object model")) or "DCOM" or "distributed component object model") and @ad<20000907)	<u> </u> ,	
1		and password) and (connecct\$3 or		
		communicat\$4) NEAR4 adapter\$1)		
-	88		USPAT	2003/11/12 15:48
		(peripheral\$1 or "SCSI" or "CD-R" or		
		scanner) and @ad<20000907		
-	0	(,	USPAT;	2003/11/12 15:49
		(peripheral\$1 or "SCSI" or "CD-R" or	US-PGPUB	
		scanner) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model"))		
		or "DCOM" or "distributed component object		
		model")		
	I	I	·	

-	93	(peripheral\$1 or "SCSI" or "CD-R" or	USPAT; US-PGPUB	2003/11/12 15:49
-	1	scanner) and @ad<20000907 (shar\$4 NEAR3 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR5	USPAT; US-PGPUB	2003/11/13 08:04
-	3	password) and @ad<20000907 shar\$4 NEAR3 (peripheral\$1 or device\$1 or	USPAT;	2003/11/13 08:05
	6	scanner or (external adj harddrive)) NEAR20 password and @ad<20000907 shar\$4 NEAR5 (peripheral\$1 or device\$1 or	US-PGPUB USPAT;	2003/11/13 08:05
_	0	scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	US-PGPUB	2003/11/13 08:03
-	997	(remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and	USPAT; US-PGPUB	2003/11/13 08:11
-	7	<pre>@ad<20000907 ((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and</pre>	USPAT; US-PGPUB	2003/11/13 08:11
-	54	<pre>@ad<20000907) and (SCSI adj adapter) ((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and</pre>	USPAT; US-PGPUB	2003/11/13 08:12
;		@ad<20000907) and ((identification or username) NEAR4 password)	03-PGF0B	
-	45	(((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and ((identification or	USPAT; US-PGPUB	2003/11/13 08:12
		username) NEAR4 password)) and (icon or "gui" or interface)		
-	27		USPAT;	2003/11/13 10:34
-	11	NEAR4 password) and @ad<20000907 multiple NEAR5 password NEAR8 enter	US-PGPUB USPAT; US-PGPUB	2003/11/13 10:35
-	55	enter NEAR5 password NEAR4 twice	USPAT; US-PGPUB	2003/11/13 10:41
-	1 19	(double or twice) NEAR5 password NEAR4 protection (multi NEAR4 level) NEAR5 password	USPAT; US-PGPUB USPAT;	2003/11/13 10:43
-	0	reverifying NEAR5 password	US-PGPUB USPAT;	2003/11/13 11:03
-	o	reverify NEAR5 password	US-PGPUB USPAT; US-PGPUB	2003/11/13 11:04
-	0	"re-verify" NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	recheck NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
_	500	verify NEAR5 password (verify NEAR5 password) and multiple	USPAT; US-PGPUB USPAT;	2003/11/13 11:04
-	608	multiple NEAR5 verification	US-PGPUB USPAT;	2003/11/13 11:07
-	401	multiple NEAR3 verification	US-PGPUB USPAT; US-PGPUB	2003/11/13 11:08
-	0	multiple NEAR3 verification NEAR3 password	USPAT; US-PGPUB	2003/11/13 11:08
-	73 185	(multiple NEAR3 verification) and password "re-enter" NEAR4 password	USPAT; US-PGPUB USPAT;	2003/11/13 11:10
-	2485	"re-enter" NEAR4 password (shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and	US-PGPUB USPAT	2003/11/13 11:10
-	1	@ad<20000907 ((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and	USPAT	2003/11/13 11:35
-	47	@ad<20000907) and (choos\$4 NEAR6 adapter) ((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3 or	USPAT	2003/11/13 11:37
-	1	<pre>pick\$3) NEAR6 adapter) (((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3</pre>	USPAT	2003/11/13 11:52
_	181	or pick\$3) NEAR6 adapter)) and password (local adj client) NEAR5 server	USPAT	2003/11/13 13:04
-	8	interface NEAR4 provid\$3 NEAR5 password	USPAT	2003/11/13 13:08
-	1167		USPAT	2003/11/13 13:08

-	24	display\$3 NEAR5 (username or password) NEAR5 interface	USPAT	2003/11/13 13:11
-	18	display\$3 NEAR5 (username and password)	USPAT	2003/11/13 13:17
-	. 89	SCSI NEAR4 (inquiry NEAR5 command\$1)	USPAT	2003/11/13 13:18
-	5	(SCSI NEAR4 (inquiry NEAR5 command\$1)) and (remote NEAR4 (client or access))	USPAT	2003/11/13 13:23
_	8	icon NEAR4 (represent\$3 NEAR4 adapter)	USPAT	2003/11/13 14:02
l _	0	(SCSI NEAR4 command\$1) NEAR20 DCOM	USPAT	2003/11/13 14:02
l <u>-</u>	1084	(SCSI NEAR4 command\$1) and @ad<20000907	USPAT	
	1004	l	USPAT	2003/11/13 14:03 2003/11/13 14:03
	*	and DCOM	OSPAI	2003/11/13 14:03
-	12	dcom with (authenticat\$3 or GUI) and	USPAT;	2003/11/13 16:41
	1	@ad<20000907	US-PGPUB	2000, 11, 13 10.11
-	8	dcom with (authentic\$5 or login or logon or	USPAT;	2003/11/17 11:42
		(access adj control)) and @ad<20000907	US-PGPUB;	
	1	•	EPO; JPO;	[
			DERWENT;	ĺ
			IBM TDB	[
-	5	windows NEAR10 (login or logon or password)	USPAT;	2003/11/17 11:46
		and (firewall NEAR5 (authentic\$5 or	US-PGPUB;	
		password)) and @ad<20000907	EPO; JPO;	
	}		DERWENT;	
		i	IBM_TDB	
-	130	(login or logon or password) and (firewall	USPAT;	2003/11/17 11:46
	1	NEAR5 (authentic\$5 or password)) and	US-PGPUB;	
		@ad<20000907	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	dcom with gui	USPAT;	2003/11/17 15:02
			US-PGPUB	
-	291	dcom and gui	USPAT;	2003/11/17 15:19
	1,00	(door and mit) and ond popping	US-PGPUB	0000/11/15 15 00
-	123	(dcom and gui) and @ad<20000907	USPAT;	2003/11/17 15:03
	123	DCOM and gui and end-20000007	US-PGPUB	2002/11/17 15:10
_	123	DCOM and gui and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:19
l _	1	6463459.pn.	USPAT;	2003/11/17 15:20
	1	0403439.pm.	US-PGPUB	2003/11/1/ 13.20
l <u>-</u>	9	gui with (login or logon or password) NEAR3	USPAT;	2003/11/18 09:38
		information and @ad<20000907	US-PGPUB	2003, 22, 20 03.30
-	0		USPAT;	2003/11/18 09:39
		password) NEAR4 gui and @ad<20000907	US-PGPUB	, , == ==
-	0	issu\$3 NEAR5 (logon or login or username or	USPAT;	2003/11/18 09:39
1		password) NEAR4 gui and @ad<20000907	US-PGPUB	
-	0	issu\$3 NEAR15 (logon or login or username or	USPAT;	2003/11/18 09:40
		password) NEAR4 gui and @ad<20000907	US-PGPUB	
-	0	issu\$3 NEAR15 (logon or login or username or	USPAT;	2003/11/18 09:40
		password) NEAR8 gui and @ad<20000907	US-PGPUB	
-	663	issu\$3 NEAR15 (logon or login or username or	USPAT;	2003/11/18 09:40
		password) and @ad<20000907	US-PGPUB	
-	718	issu\$3 with (logon or login or username or	USPAT;	2003/11/18 09:40
1		password) and @ad<20000907	US-PGPUB	
-	345	issu\$3 NEAR3 (logon or login or username or	USPAT;	2003/11/18 10:54
		password) and @ad<20000907	US-PGPUB	